

A Case Study: Environmental Pollution,It's Effects on Life and its Remedies

¹Ankur Kulshreshtha, ²Dr StutiSrivastava

¹Government Engineering College, Banswara, Rajasthan, India

²ESIC, Dobok, Udaipur

Abstract: *Environment pollution is a wide-reaching problem and it is likely to influence the health of human populations is great. This paper provides the insight view about the affects of environment pollution in the perspective of air pollution, water and land/ soil waste pollution on human by diseases and problems, animals and trees/ plants. Study finds that these kinds of pollutions are not only seriously affecting the human by diseases and problems but also the animals and trees/ plants. According to author, still time left in the hands of global institutions, governments and local bodies to use the advance resources to balance the environment for living and initiates the breathed intellectuals to live friendly with environment. As effective reply to contamination is largely base on human appraisal of the problem from every age group and contamination control program evolves as a nationwide fixed cost-sharing effort relying upon voluntary participation (Sharp & Bromley, 1979).*

Keywords: Environment Pollution; Air Pollution; Water Pollution; Soil Pollution; Land Pollution; Remedies

Introduction: The significance of environmental factors to the health and well-being of human populations' is increasingly apparent (Rosenstock 2003; World Health Organization [WHO], 2010b). Environment pollution is a worldwide problem and its potential to influence the health of human populations is great (Fereidoun et al, 2007; Progressive Insurance, 2005.). Pollution reaches its most serious proportions in the densely settled urban-industrial centers of the more developed countries (Kromm, 1973). In poor countries of the world more than 80% polluted water have been used for irrigation with only seventy to eighty percent food and living security in industrial urban and semi urban areas. (Mara & Cairncross, 1989). Industry, clustered in urban and semi-urban areas surrounded by densely populated, low-income localities, continues to pollute the environment with impunity (Government of Pakistan, 2009). Over the last three decades there has been increasing global concern over the public health impacts attributed to environmental pollution (Kimani, 2007), Human exposure to pollution is believed to be more intense now than at any other time in human existence (Schell et al, 2006). Pollution can be made by human activity and by natural forces as well (Fereidoun et al, 2007; The Encyclopedia of the Atmospheric Environment, n.d). Selfish private enterprise and their lack of awareness of public well-being and social costs (Carter, 1985) and natural disasters (Huppert & Sparks, 2006) e.g. volcanic ash from Iceland (World Health Organization [WHO], 2010a) are the one of the main reason of pollution. British Airways (1993) expresses their concern about environment in their general goal 'to be a good neighbor, concerned for the community and the environment. This implies that, businesses now adopted this responsibility as part of their overall business strategy; which should match their broader business goals (Pearce, 1991).

At present, the adoption of environmental auditing in any economic sector is voluntary but future legislation could well make it mandatory. (Goodall, 1995). Sharp & Bromley (1979) posit that pollution control program evolves as a nationwide fixed cost-sharing effort relying upon voluntary participation. Interestingly, Goodall (1995) refers tourism as the potential to damage the environment. There is no doubt that excessive levels of pollution are causing a lot of damage to human & animal health, plants & trees including tropical rainforests, as well as the wider environment. (Tropical Rainforest Animals, 2008). According to Fereidoun et al (2007), Tehran is one of victim cities in terms of environmental pollution. Gautam et al (2009) nominated Indian cities, among the most polluted cities in the world. Carter (1985) found pollution in formally known Czechoslovakia (now Czech Republic and Slovakia) a serious issue which ultimately affects soils and vegetation. As Debar-televen (1992) postulates that environmental pollution and degradation are serious problems in Eastern and Central Europe. Kan (2009) originated the fact about China that, it has environmental problems, including outdoor and indoor air pollution, water shortages and pollution, desertification, and soil pollution, have become more pronounced and are subjecting Chinese residents to significant health risks.

Environmental pollution is tangled with the unsustainable anthropogenic activities, resulting in substantial public health problems. (Khan, 2004). McGeehin et al, (2004) reported that U.S. population from infectious diseases to diseases such as cancer, birth defects, and asthma, many of which may be associated with environmental exposures. There is virtually no check on some 8,000 industrial units in USA that are contributing to high rates of pollution (Kaufman, 1993). Environmental health problems are not simply a conglomerate of concerns about Radiological health, water and wastewater treatment, air pollution control, solid waste disposal, occupational health, etc (Lynn & Metzler, 1968). The Linton (1967), Spilhaus (1966) and Tukey (1965) made attempt to detail many of the specific environmental health problems which confront contemporary man.

Air Pollution

The air we breathe is an essential ingredient for our wellbeing and a healthy life. Unfortunately polluted air is common throughout the world (EPA, 2009) specially in developed countries from 1960s. (Kan, 2009). South of Poland (Krzeslak & Korytkowski, 1994), Ukraine (Avdeev & Korchagin, 1994), China (Kan, 2009), and Pakistan (Government of Pakistan, 2009; Khan, 2010) even famous crowded cities and countries are facing air pollution. Polluted air contains one, or more, hazardous substance, pollutant, or contaminant that creates a hazard to general health (Health and Energy, 2007). The main pollutants found in the air we breathe include, particulate matter, PAHs, lead, ground-level

ozone, heavy metals, sulphur dioxide, benzene, carbon monoxide and nitrogen dioxide (European Public Health Alliance, 2009). Air pollution in cities causes a shorter lifespan for city dwellers (Progressive Insurance, 2005). Holland et al, (1979) illustrated that British scientists concluded that particulate and related air pollution at high levels pose hazards to human health. According to Mishra (2003) rapid growth in urban population, increasing industrialization, and rising demands for energy and motor vehicles are the worsening air pollution levels. He added other factors, such as poor environmental regulation, less efficient technology of production, congested roads, and age and poor maintenance of vehicles, also add to the problem. He further added that air pollution is caused of ill health and death by natural and man-made sources, major man-made sources of ambient air pollution include tobacco smoke, combustion of solid fuels for cooking, heating, home cleaning agents, insecticides industries, automobiles, power generation, poor environmental regulation, less efficient technology of production, congested roads, and age and poor maintenance of vehicles. The natural sources include incinerators and waste disposals, forest and agricultural fires (European Public Health Alliance, 2009).

Water pollution

The water we drink are essential ingredients for our wellbeing and a healthy life. Unfortunately polluted water and air are common throughout the world (European Public Health Alliance, 2009). The WHO states that one sixth of the world's population, approximately 1.1 billion people do not have access to safe water and 2.4 billion lack basic sanitation (European Public Health Alliance, 2009). Polluted water consists of Industrial discharged effluents, sewage water, rain water pollution (Ashraf et al, 2010) and polluted by agriculture or households cause damage to human health or the environment. (European Public Health Alliance, 2009). This water pollution affects the health and quality of soils and vegetation (Carter, 1985). Some water pollution effects are recognized immediately, whereas others don't show up for months or years (Ashraf et al, 2010). Estimation indicates that more than fifty countries of the world with an area of twenty million hectares area are treated with polluted or partially treated polluted water (Hussain et al, 2001) including parts of all continents (Avdeev&Korchagin, 1994; Carter, 1985; Kan, 2009; Khan, 2010; Krzeslak&Korytkowski, 1994; Wu et al, 1999) and this poor quality water causes health hazard and death of human being, aquatic life and also disturbs the production of different crops (Ashraf et al, 2010; Scipeeps, 2009). In fact, the effects of water pollution are said to be the leading cause of death for humans across the globe, moreover, water pollution affects our oceans, lakes, rivers, and drinking water, making it a widespread and global concern (Scipeeps, 2009). A drinking water contained a fluoride content ranging from 5.26 to 26.32 milligrams per liter and this is too high as compared to the World Health Organization's standard of 0.6 to 1.7 milligram per liter (Rizvi, 2000). According to Ashraf et al (2010),

In present scenario due to industrialization and increased population, the drains of Pakistan carry the industrial and municipal effluents that are ultimately carried that polluted water to the canals and rivers. The untreated industrial and municipal wastes have created multiple environmental hazards for man-

kind, irrigation, drinking and sustenance of aquatic life. The drainage water contains heavy metals in addition to biological contaminations. This water pollution infected our food in addition to groundwater contamination when used to irrigate crops.

Pakistani cities are facing tribulations of urban congestion, deteriorating air and water quality and waste management while the rural areas are witnessing rapid deforestation, biodiversity and habitat loss, crop failure, desertification, land degradation, clean drinking water, noise pollution, sanitation (Government of Pakistan, 2009).

Land/ Solid waste Pollution

Improper management of solid waste is one of the main causes of environmental pollution (Kimani, 2007). Land pollution is one of the major forms of environmental catastrophe our world is facing today (Khan, 2004). As Bulgaria and the Slovak Republic, heavy metal industries have produced wastes that are deposited into landfills without special precautions (Lenkova&Vargova, 1994; Spassov, 1994). Cucu et al (1994) posit that approximately half of the population lives in the vicinity of waste sites that do not conform to contemporary standards in Romania. Czech Republic's coal and uranium mines have produced serious pollution problems, and much of the solid industrial waste containing heavy metals is disposed of, without pretreatment, in open dumps (Rushbrook, 1994). Harvath&Hegedus (1994) concluded as the worst pollution of Hungary comes from open cast mines, lignite-based power plants, chemical factories, and the aluminum industry. The Silesia district in the south of Poland has severe contamination from mining and industry (Krzeslak&Korytkowski, 1994). Avdeev&Korchagin (1994) conceived soil pollution are critical issues in Ukraine. World Bank (2002) found Particulate matter is the most serious pollutant in large cities in South Asia.

Effects of Dying Environment on Human, Animals and Plants

Environment dying is global perilous point which catastrophically the human, animals and plants. Air pollution results are Cancer (Ries et al. 1999; European Public Health Alliance, 2009), neurobehavioral disorders (Blaxill 2004; Landrigan et al. 2002; Mendola et al. 2002; Schettler 2002; Stein et al. 2002), cardiovascular problems (European Public Health Alliance, 2009; Tillett, 2009), reduced energy levels (Colls, 2002), premature death (European Public Health Alliance, 2009), asthma (Brauer et al, 2007; Gehring et al, 2002; Jacquemin et al, 2009; Mannino et al. 1998; McConnell et al, 2006; Modig et al, 2006), asthma exacerbations (D'Amato et al, 2005; Heinrich & Wichmann, 2004; Künzli et al, 2000; Nel, 2005;), headaches and dizziness (Colls, 2002), irritation of eyes, nose, mouth and throat (Colls, 2002), reduced lung functioning (Colls, 2002; Gauderman et al, 2005), respiratory symptoms (Colls, 2002; Vichit-Vadakan, 2001), respiratory disease (European Public Health Alliance, 2009; Firkat, 1931), disruption of endocrine (Colls, 2002; Crisp et al, 1998) and reproductive and immune systems (Colls, 2002; European Public Health Alliance, 2009). London Fog episode of 1952, where a sharp increase in particulate matter air pollution led to increased mortality among infants and older adults (Woodruff

et al, 2006). High air pollution levels have been linked to infant mortality. (Fereidoun et al, 2007). Air pollutants can also indirectly affect human health through acid rain, by polluting drinking water and entering the food chain, and through global warming and associated climate change and sea level rise. (Mishra, 2003). Associations between particulate air pollution and respiratory disease are reported in Meuse Valley, Belgium, in December 1930 (Firkat, 1931), an episode in Donora, Pennsylvania, in 1948 (Ciocco & Thompson, 1961) and the most notable occurring in December 1952 (Logan, 1953). According to Gardiner (2006) acid rain destroys fish life in lakes and streams and kill trees, destroy the leaves of plants, can permeate soil by making it inappropriate for reasons of nutrition and habitation, unwarranted ultraviolet radiation through the ozone layer eroded by some air pollutants, may cause skin cancer in wildlife and damage to trees and plants, and Ozone in the lower atmosphere may damage lung tissues of animals and can prevent plant respiration by blocking stomata (openings in leaves) and negatively affecting plants' photosynthesis rates which will stunt plant growth; ozone can also decay plant cells directly by entering stomata.

Polluted drinking water or water polluted by chemicals produced waterborne diseases like, Giardiasis, Amoebiasis, Hookworm, Ascariasis, Typhoid, Liver and kidney damage, Alzheimer's disease, non-Hodgkin's Lymphoma, multiple Sclerosis, Hormonal problems that can disorder development and reproductive processes, Cancer, heart disease, damage to the nervous system, different type of damages on babies in womb, Parkinson's disease, Damage to the DNA and even death, meanwhile, polluted beach water contaminated people like stomach aches, encephalitis, Hepatitis, diarrhoea, vomiting, gastroenteritis, respiratory infections, ear ache, pink eye and rashes (Water Pollution Effects, 2006). Loss of wild life is directly related to pollution (Progressive Insurance, 2005) and according to Water Pollution Effects (2006) on animals i) Nutrient polluted water causes overgrowth of toxic algae eaten by other aquatic animals, and may cause death; it can also cause eruptions of fish diseases, ii) Chemical contamination can cause declines in frog biodiversity and tadpole mass iii) Oil pollution can increase susceptibility to disease and affect reproductive processes and negatively affect development of marine organisms and it can also a source of gastrointestinal irritation, damage to the nervous system, liver and kidney damage iv) Mercury in water can cause reduced reproduction, slower growth and development, abnormal behavior and death v) Persistent organic pollutants may cause declines, deformities and death of fish life and Fish from polluted water and vegetable/ crops produced or washed from polluted water could also make impact on human and animal health. More sodium chloride (ordinary salt) in water may kill animals and plants, plants may be killed by mud from construction sites as well as bits of wood and leaves, clay and other similar materials and plants may be killed by herbicides in water (Kopaska-Merkel, 2000). For tree and plants water pollution may disrupt photosynthesis in aquatic plants and thus affecting ecosystems that depend on these plants (Forestry Nepal, n.d).

Soil pollution effects causes according to tutorvista (n.d) are cancer including leukaemia and it is danger for young children as it can cause developmental damage to the brain furthermore it illustrated that mercury in soil increases the risk of neuromuscular blockage, causes headaches, kidney failure, depres-

sion of the central nervous system, eye irritation and skin rash, nausea and fatigue. Soil pollution closely associated to air and water pollution, so its numerous effects come out as similar as caused by water and air contamination. TNAU Agritech Portal (n.d) soil pollution can alter metabolism of plants' metabolism and reduce crop yields and same process with microorganisms and arthropods in a given soil environment; this may obliterate some layers of the key food chain, and thus have a negative effect on predator animal class. Small life forms may consume harmful chemicals which may then be passed up the food chain to larger animals; this may lead to increased mortality rates and even animal extinction.

CONCLUSION:

It appears that polluted environment is global an issue and world community would bear worst results more as they already faced. As effective response to pollution is largely based on human appraisal of the problem (Kromm, 1973) and pollution control program evolves as a nationwide fixed cost-sharing effort relying upon voluntary participation (Sharp & Bromley, 1979). Education, research, and advocacy, are lacking in the region as preventive strategy for pollution.

(Fitzgerald, 1998) especially in Asia. At present the adoption of environmental auditing in any economic sector is voluntary but future legislation could well make it mandatory (Goodall, 1995) and still time available to use technology and information for environmental health decision. Policymakers in developing countries need to design programs, set standards, and take action to mitigate adverse health effects of air pollution. Healthy people mean human resources are the main object of any successful business or country. These societal beneficial efforts need to carefully adapt available knowledge from other settings, keeping in mind the differences in pollutant mixtures, concentration levels, exposure patterns, and various underlying population characteristics.

References:

- i. Ashraf, M. A., Maah, M. J., Yusoff, I. & Mehmood, K. (2010). *Effects of Polluted Water Irrigation on Environment and Health of People in Jamber, District Kasur, Pakistan*, *International Journal of Basic & Applied Sciences*, 10(3), pp. 37-57.
- ii. Avdeev, O. & Korchagin, P. (1994). *Organization and Implementation of Contaminated Waste Neutralization in the Ukraine - National Report II, Central. European Journal of Public Health*, 2(suppl), pp. 51-52.
- iii. Blaxill, M. F. (2004). *What's going on? The Question of Time Trends in Autism. Public Health Reports*, 119(6), pp. 536-551.
- iv. Brauer, M., Hoek, G., Smith, H. A., de Jongste, J. C., Gerbranten, J. & Postma, D. S. (2007). *Air Pollution and Development of Asthma, Allergy and Infections in a Birth Cohort*, *European Society for Clinical Respiratory Physiology*, 29(5), pp. 879-888.
- v. *British Airways*, (1993), *Annual Environment Report, London: British Airways plc, Environment Branch, Heathrow*.
- vi. Carter, F. W. (1985). *Pollution Problems in Post-War Czechoslovakia*, *Transactions of the Institute of British Geographers*, 10(1), pp. 17-44.
- vii. Ciocco, A. & Thompson, D. J. (1961). *A Follow-up on Donora Ten Years After: Methodology and Findings*, *American Journal of Public Health*, 51(2), pp. 155
- viii. Colls, J. (2002). *Air Pollution*. New York: Spon Press.
- ix. Crisp, T. M., Clegg, E. D., Cooper, R. L., Wood, W. P., Anderson, D. G., Baetcke, K. P., Hoffmann, J. L., Morrow, M. S., Rodier, D. J., Schaeffer, J. E., Touart, L. E., Zeeman, M. G. & Patel,

Y. M. (1998). *Environmental Endocrine Disruption: An Effects Assessment and Analysis*, *Env. Health Perspectives*, 106(1), pp. 11-56

x. Cucu, M., Lupeanu, M. I., Nicorici, M., Lonescu, L. & Sandu, S. (1994). *The Dangerous Wastes and Health Risks in Romania: National Report*, *Central European Journal of Public Health*, 2(suppl), pp. 41-43.

xi. D'Amato, G., Liccardi, G., D'Amato, M. & Holgate, S. (2005). *Environmental Risk Factors and Allergic Bronchial Asthma*, *Clinical & Experimental Allergy*, 35(9), pp.1113-1124.

xii. DeBarteleven, J. (1992). *Eastern Europe's Environmental Crisis*. Baltimore, MD: Johns Hopkins Press

xiii. European Public Health Alliance, (2009). *Air, Water Pollution and Health Effects*. Retrieved from <http://www.epha.org/r/54>

xiv. Fereidoun, H., Nourddin, M. S., Rreza, N. A., Mohsen, A., Ahmad, R. & Pouria, H., (2007). *The Effect of Long-Term Exposure to Particulate Pollution on the Lung Function of Teheranian and Zanjanian Students*, *Pakistan Journal of Physiology*, 3(2), pp. 1-5.

xv. Firket, J. (1931). *The Cause of the Symptoms Found in the Meuse Valley during the Fog of December*, *Bulletin de l'Academie Royale Medicine de Belgique*, 11, pp. 683-741.

xvi. Fitzgerald, E. F., Schell, L. M., Marshall, E. G., Carpenter, D. O., Suk, W. A. & Zejda, J. E. (1998). *Environmental Pollution and Child Health in Central and Eastern Europe*, *Environmental Health Perspectives*, 106(6), pp. 307-311

xvii. *Forestry Nepal (n.d) Pollution Effects on Plants and Trees*, Retrieved from <http://www.forestrynepal.org/notes/silviculture/locality-factors/16>

xviii. Gardiner, L. (2006). *Air Pollution Affects Plants, Animals, and Environments*. Windows to the Universe. Retrieved from http://www.windows.ucar.edu/tour/link=/earth/Atmosphere/wildlife_forests.html&edu=high

xix. Gauderman, W. J., Avol, E., Gilliland, F., Vora, H., Thomas, D., Berhane, K., McConnell, R., Kuenzli, N., Lurmann, F., Rappaport, E., Margolis, H., Bates, D. & Peters, J. (2005). *The Effect of Air Pollution on Lung Development from 10 to 18 Years of Age*, *New England Journal of Medicine*, 352(12), pp. 1276.

xx. Gautam, A., Mahajan, M. & Garg, S. (2009). *Impact of Air Pollution on Human Health In Dehra Doon City*. Retrieved from <http://www.esocialsciences.com/data/articles/Document12882009311.130313E-02.pdf>

xxi. Gehring, U., Cyrus, J., Sedlmeir, G., Brunekreef, B., Bellander, T., & Fischer, P. (2002). *Traffic Related Air Pollution and Respiratory Health During the First 2 Years of Life*. *European Respiratory Journal*, 19(4), pp. 690-698.